

# PHILIPS

## P850M/P855M

---

### Hardware Reference Data

September 1973

**A publication of:**

Philips-Electrologica B.V.

Main Marketing Group OEM

P.O. Box 245 Apeldoorn, Netherlands

Copyright © by Philips-Electrologica B.V.

Printed in The Netherlands

5122 991 16902




Data  
Systems

## CONTENTS

Assembly Language P850M - general format	1
Assembly Language P855M - general format	2
Memory Reference Instructions	3
Register/Register Instructions	4
Constant Instructions (short format)	5
Constant Instructions (long format)	6
Shift Instructions	7
Input/Output Instructions	8
Miscellaneous Instructions	9
Addressing modes-Reference types	10
File codes	10
Directives	11
Instruction set (alphabetical)	12
P850M Memory modules	27
P855M Memory Protection	27
Dedicated memory locations	27
Program status word	28
Multiplex control words	28
Memory clear program	29
P850M/P855M object code format	30
P855M object code format	30
Backpanel P850M basic cabinet	32
P850M CPU card and P850M/P855M CU card	33
Backpanel P855M basic cabinet	34
Double cards (P855M CPU)	36
Control units status flip-flops	37
Changing the devices address	37
CU status word configuration	37
Devices and recognised commands: PTR, CR, PTP, PLOT, ASR, LP	38
DIOS and recognised commands	39
Moving head disc CU and recognised commands	40
Cassette tape CU and recognised commands	42
Fixed head disc CU and recognised commands	44
Magnetic tape CU and recognised commands	46
DMA-channel and recognised commands	48
Option card (OPTI) standard interrupt cabling	49
P855M pin board cabling	51
P855M break levels	52
Format of CPU status word	53
ASCII-code	53

ASSEMBLY LANGUAGE P850M - GENERAL FORMAT - 1)



\* in operand field represents current value of location counter

1) For details, see P850M User Manual (publication number 5122 991 1453X)

